


1

车壳部份


Frame assembly



2

罩壳部份


Cover assemblies



3

缝台部份


Cloth plate assemblies



4

下轴部份


Hook shaft assemblies



5

上轴部份


Main shaft assemblies



6

针杆部份


Needle bar assemblies



7

护针部份


Needle guard assemblies



8


弯针部份

Looper assemblies




松线部份

- 3-Needle, Without top cover thread.
254023D9U
- 3-Needle, With top cover thread.
254023E9U



14 过线部份

- ### Thread guide assemblies




过线凸轮部份



Cam assemblies





16 润滑部份

Lubrication assemblies






- (6-Spools)
486-9S
- (2-Needle)
(3-Needle)
(4-Spools)
486B9S
- (5-Spools)
486A9S
- (2-Needle)
(3-Needle)
(3-Spools)
486C9S



21

● 01(Except-01D,01G),03,21
250030-PD
250032 - PD




● 06B,07B,08
01D
250032BPD



028

5540
5113
201913




257A9S

250033 - PD

1D

22




254024-9U



24

03



250032 - SD




25





26



27




28



29

500-05,06,07


306469A9S



30

500-05,07

500-05 MD(OPTION)




31

500-05,07

500-05MD(OPTION)

256064-9S




*(not for sale.)

32


500-08

(Standard)

- * For light weight fabric 257571
- * For heavy weight fabric 257571 (Put in accessory)




*(not for sale.)




33

Please confirm the correct part by the gauge parts lists
500-21


CRANKSTAFF MECHANISM



ARM AHAFT MECHANISM



NEEDLE SPREADER
THREAD HANDLING





*(not for sale.)


35

Please confirm the correct part by the gauge parts lists
500-84

250032 - SD



254023H9U




*(not for sale.)


34

500-21

LOOPER MECHANISM




FEED MECHANISM



*(not for sale.)

LUBRICATION MECHANISM



缝纫组合件 表 (1)

GAUGE PARTS LIST (1)



形式 MACHINE TYPE /SECC.	缝样 GAUGE	针留 NEEDLE HOLDER	针板 NEEDLE PLATE	主送布牙 MAIN FEED DOG	差动送布牙 DIFF. FEED DOG	压脚 PRESSER FOOT	弯杆 LOOPER	护针(前) NEEDLE GUARD FRONT	护针(后) NEEDLE GUARD REAR	喂针 SPREADER	针 NEEDLE
500-01CA 500-01CA/M	224	257517-24	257515A24	257206-16F	257258-16F	257460-24	257550E91	257553	257551B	25756S	UY128GAS #9
	232	" 32	" 32			" 32	" 32				
	240	" 40	" 40			" 40	" 40				
	248	" 48	" 48			" 48	" 48				
	256	" 56	257517A56	257207-16F	257058-16F	" 56	" 56				UY128GAS #10
	264	" 64	" 64			" 64	" 64				
	348	257518-48	257516A48			257461-48	257550E91				
	356	" 56	257518A56			" 56	" 56				
500-01CB 500-01CB/M	264	" 64	" 64	257206-16F	257258-16F	" 64	" 64	257553	257551B	25756S	UY128GAS #9
	224	257517-24	257515B24			257460-24	257550E91				
	232	" 32	" 32			" 32	" 32				
	240	" 40	" 40			" 40	" 40				
	248	" 48	" 48	257207-16F	257259-16F	" 48	" 48				UY128GAS #10
	256	" 56	257517B56			" 56	" 56				
	264	" 64	" 64			" 64	" 64				
	348	257518-48	257516B48			257461-48	257550E91				
500-01CC 500-01CC/M	356	" 56	257518B56	257206-16F	257258-16F	" 56	" 56	257553	257551B	25756S	UY128GAS #9
	364	" 64	" 64			" 64	" 64				
	224	257517-24	257515C24			257460-24	257550E91				
	232	" 32	" 32			" 32	" 32				
	240	" 40	" 40	257207-16F	257259-16F	" 40	" 40				UY128GAS #10
	248	" 48	" 48			" 48	" 48				
	256	" 56	257517C56			" 56	" 56				
	264	" 64	" 64			" 64	" 64				
500-01DB 500-01DB/M	348	257518-48	257516C48	257206-16F	257258-16F	257461-48	257550E91	257553	25755A	25756S	SM 1014B #3
	356	" 56	257518C56	257207-16F	257259-16F	" 56	" 56				UY128GAS #10
	364	" 64	" 64			" 64	" 64				
	460	257513-60	257020-60	25723A-16F	257258-16F	257491-60	257550C91				SM 1014B #3
500-01GB 500-01GB/M	356	257518-56	257018B56	257207-16F	257259-16F	257472-56	" 56	257553	257551B	25756S	UY128GAS #10
	364	" 64	" 64			" 64	" 64				

缝纫组合件 表 (2)

GAUGE PARTS LIST (2)



形式 MACHINE TYPE /SECC.	缝样 GAUGE	针留 NEEDLE HOLDER	针板 NEEDLE PLATE	主送布牙 MAIN FEED DOG	差动送布牙 DIFF. FEED DOG	压脚 PRESSER FOOT	弯杆 LOOPER	护针(前) NEEDLE GUARD FRONT	护针(后) NEEDLE GUARD REAR	喂针 SPREADER	针 NEEDLE
500-02BA 500-02BA/M	224	257517-24	257029A24	257214-16F	257280-16F	257317A24	257550E91	257553	257551B	25756S	UY128GAS #9
	232	" 32	" 32			" 32	" 32				
	240	" 40	257030A40			257318A40	" 40				
	248	" 48	" 48			" 48	" 48				
	256	" 56	257032A56	257216-16F	257282-16F	257319A56	" 56				UY128GAS #10
	264	" 64	" 64			" 64	" 64				
	348	257518-48	257031A48			257320A48	257550E91				
	356	" 56	257033A56			257321A56	" 56				
500-02BB 500-02BB/M	364	" 64	" 64	257216-16F	257282-16F	" 64	" 64	257553	257551B	25756S	UY128GAS #9
	224	257517-24	257029B24	257214-16F	257280-16F	257317A24	257550E91				
	232	" 32	" 32			" 32	" 32				
	240	" 40	257030B40			257318A40	" 40				
	248	" 48	" 48	257216-16F	257282-16F	" 48	" 48				UY128GAS #10
	256	" 56	257032B56			257319A56	" 56				
	264	" 64	" 64			" 64	" 64				
	348	257518-48	257031B48			257320A48	257550E91				
500-02BC 500-02BC/M	356	" 56	257033B56	257216-16F	257282-16F	257321A56	" 56	257553	257551B	25756S	UY128GAS #9
	364	" 64	" 64			" 64	" 64				
	224	257517-24	257029C24			257317A24	257550E91				
	232	" 32	" 32			" 32	" 32				
	240	" 40	257030C40	257216-16F	257282-16F	257318A40	" 40				UY128GAS #10
	248	" 48	" 48			" 48	" 48				
	256	" 56	257032C56			257319A56	" 56				
	264	" 64	" 64			" 64	" 64				
500-02BC 500-02BC/M	348	257518-48	257031C48	257216-16F	257282-16F	257320A48	257550E91				UY128GAS #9
	356	" 56	257033C56			257321A56	" 56				
	364	" 64	" 64	257216-16F	257282-16F	" 64	" 64				UY128GAS #10
	364	" 64	" 64			" 64	" 64				

缝纫组合件 表 (3)

GAUGE PARTS LIST (3)



形式 MACHINE TYPE /SECC.	缝样 GAUGE	针留 NEEDLE HOLDER	针板 NEEDLE PLATE	主送布牙 MAIN FEED DOG	差动送布牙 DIFF. FEED DOG	压脚 PRESSER FOOT	弯杆 LOOPER	护针(前) NEEDLE GUARD FRONT	护针(后) NEEDLE GUARD REAR	喂针 SPREADER	针 NEEDLE
500-02SA 500-02SA/M	224	257517-24	257023A24	257208-16F	257261-16F	257350-24	257350E91	257553	257551B	25756S	UY128GAS #3
	232	" 32	" 32			" 32					
	240	" 40	257024A40	257210-16F	257202-16F	257351-40					
	248	" 48	" 48			" 48	257550-91				
	256	" 56	257041A56	257210-16F	257262-16F	257358-56					UY128GAS #10
	264	" 64	" 64			" 64					
	348	257518-48	257040A48	257209-16F	257261-16F	257359-48	257550E91				
	356	" 56	257025A56	257210-16F	257262-16F	257352-56	257550-91				
500-02SB 500-02SB/M	224	257517-24	257023B24	257208-16F	257260-16F	257350-24	257350E91	257553	257551B	25756S	UY128GAS #9
	232	" 32	" 32			" 32					
	240	" 40	257024B40	257209-16F	257261-16F	257351-40					
	248	" 48	" 48			" 48	257550-91				
	256	" 56	257040B56	257210-16F	257262-16F	257358-56					UY128GAS #10
	264	" 64	" 64			" 64					
	348	257518-48	257041B48	257209-16F	257261-16F	257359-48	257550E91				
	356	" 56	257025B56	257210-16F	257262-16F	257352-56	257550-91				
500-02SC 500-02SC/M	224	257517-24	257023C24	257208-16F	257260-16F	257350-24	257550E91	257553	257551B	25756S	UY128GAS #9
	232	" 32	" 32			" 32					
	240	" 40	257024C40	257209-16F	257261-16F	257351-40					
	248	" 48	" 48			" 48	257550-91				
	256	" 56	257041C56	257210-16F	257262-16F	257358-56					UY128GAS #10
	264	" 64	" 64			" 64					
	348	257518-48	257040C48	257209-16F	257261-16F	257359-48	257550E91				
	356	" 56	257025C56	257210-16F	257262-16F	257352-56	257550-91				
500-02CA 500-02CA/M	232	257139A32	257139A32	259123-16F	257260-16F	2572448-32	257550-91	257553	257551B	25756S	YU128GAS #10
500-02CB 500-02CB/M	232	257139B32	257139A32	259123-16F	257260-16F	2572448-32	257550-91	257553	257551B	25756S	YU128GAS #10
500-02CC 500-02CC/M	232	257139C32	257139A32	259123-16F	257260-16F	2572448-32	257550-91	257553	257551B	25756S	YU128GAS #10
500-02DB 500-02DB/M	232	257157B32	257157B32	259128-16F	259234-16F	257449-34	257550-91	257553	257551B	25756S	YU128GAS #10

缝纫组合件 表 (4)

GAUGE PARTS LIST (4)



形式 MACHINE TYPE /SECC.	缝样 GAUGE	针留 NEEDLE HOLDER	针板 NEEDLE PLATE	主送布牙 MAIN FEED DOG	差动送布牙 DIFF. FEED DOG	压脚 PRESSER FOOT	弯杆 LOOPER	护针(前) NEEDLE GUARD FRONT	护针(后) NEEDLE GUARD REAR	喂针 SPREADER	针 NEEDLE
500-02BA 500-02BA/M	240	257517-40	257087B40	257206-16F	259200-16F	257467-40		257553	257551B	25756S	UY128GAS #9
	248	" 48	" 48			" 48					
	256	" 56	257089B56	257207-16F	259253-16F	" 56	257550-91				
	264	" 64	" 64			" 64					UY128GAS #10
	348	257518-48	257088B48	257206-16F	259200-16F	257468-48	257550E91				
	356	" 56	257090B56	257207-16F	259253-16F	" 56	257550-91				
500-02BB 500-02BB/M	240	257517-40	257087B40	257206-16F	259200-16F	257467-40		257553	257551B	25756S	UY128GAS #9
	248	" 48	" 48			" 48	257550-91				
	256	" 56	257089B56	257207-16F	259253-16F	" 56					
	264	" 64	" 64			" 64					UY128GAS #10
	348	257518-48	257088B48	257206-16F	259200-16F	257468-48	257550E91				
	356	" 56	257090B56	257207-16F	259253-16F	" 56	257550-91				
500-02BC 500-02BC/M	240	257517-40	257091B40	257206-16F	259201-16F	257467-40		257553	257551B	25756S	UY128GAS #9
	248	" 48	" 48			" 48	257550-91				
	256	" 56	257093B56	257207-16F	259254-16F	" 56					
	264	" 64	" 64			" 64					UY128GAS #10
	348	257518-48	257092B48	257206-16F	259201-16F	257468-48	257550E91				
	356	" 56	257094B56	257207-16F	259254-16F	" 56	257550-91				
500-02BC 500-02BC/M	240	257517-40	257091C40	257206-16F	259201-16F	257467-40		257553	257551B	25756S	UY128GAS #9
	248	" 48	" 48			" 48	257550-91				
	256	" 56	257093C56	257207-16F	259254-16F	" 56					
	264	" 64	" 64			" 64					UY128GAS #10
	348	257518-48	257092C48	257206-16F	259200-16F	257468-48	257550E91				
	356	" 56	257094C56	257207-16F	259254-16F	" 56	257550-91				



形式 MACHINE TYPE /SEEC.	缝样 GAUGE	针留 NEEDLE HOLDER	针板 NEEDLE PLATE	主送布牙 MAIN FEED DOG	差动送布牙 DIFF. FEED DOG	压脚 PRESSER FOOT	弯杆 LOOPER	护针(前) NEEDLE GUARD FRONT	护针(后) NEEDLE GUARD REAR	喂针 SPREADER	针 NEEDLE
500-05BA 500-05BA/M	224	257517-24	257049A24	257220-16F	257266-16F	257327A24	257550E91	257553	257551B	25756S	UY128GAS #3
	232	" 32	" 32			" 32					
	240	" 40	257050A40	257221-16F	257267-16F	257328A40	257550-91				
	248	" 48	" 48			" 48					
	256	" 56	257052A56	257222-16F	257268-16F	257329A56					UY128GAS #10
	264	" 64	" 64	257221-16F	257267-16F	" 64	257550E91				
	348	257518-48	257051A48	257221-16F	257267-16F	257330A48	257550E91				
	356	" 56	257053A56	257222-16F	257268-16F	257331A56	257550-91				
500-05BB 500-05BB/M	224	257517-24	257049A24	257220-16F	257266-16F	257327A24	257550E91	257553	257551B	25756S	UY128GAS #9
	232	" 32	" 32			" 32					
	240	" 40	257050A40	257221-16F	257267-16F	257328A40	257550-91				
	248	" 48	" 48			" 48					
	256	" 56	257052A56	257222-16F	257268-16F	257329A56					UY128GAS #10
	264	" 64	" 64	257221-16F	257267-16F	" 64	257550E91				
	348	257518-48	257051A48	257221-16F	257267-16F	257330A48	257550E91				
	356	" 56	257053A56	257222-16F	257268-16F	257331A56	257550-91				
500-05SA 500-05SA/M	224	257517-24	257049A24	257220-16F	257266-16F	257327A24	257550E91	257553	257551B	25756S	UY128GAS #9
	232	" 32	" 32			" 32					
	240	" 40	257050A40	257221-16F	257267-16F	257328A40	257550-91				
	248	" 48	" 48			" 48					
	256	" 56	257052A56	257222-16F	257268-16F	257329A56					UY128GAS #10
	264	" 64	" 64	257221-16F	257267-16F	" 64	257550E91				
	348	257518-48	257051A48	257221-16F	257267-16F	257330A48	257550E91				
	356	" 56	257053A56	257222-16F	257268-16F	257331A56	257550-91				
500-05SB 500-05SB/M	224	257517-24	257049A24	257220-16F	257266-16F	257327A24	257550E91	257553	257551B	25756S	UY128GAS #9
	232	" 32	" 32			" 32					
	240	" 40	257050A40	257221-16F	257267-16F	257328A40	257550-91				
	248	" 48	" 48			" 48					
	256	" 56	257052A56	257222-16F	257268-16F	257329A56					UY128GAS #10
	264	" 64	" 64	257221-16F	257267-16F	" 64	257550E91				
	348	257518-48	257051A48	257221-16F	257267-16F	257330A48	257550E91				
	356	" 56	257053A56	257222-16F	257268-16F	257331A56	257550-91				

缝纫组合件 表 (6)

GAUGE PARTS LIST (6)



形式 MACHINE TYPE /SEEC.	缝样 GAUGE	针留 NEEDLE HOLDER	针板 NEEDLE PLATE	主送布牙 MAIN FEED DOG	差动送布牙 DIFF. FEED DOG	压脚 PRESSER FOOT	弯杆 LOOPER	护针(前) NEEDLE GUARD FRONT	护针(后) NEEDLE GUARD REAR	喂针 SPREADER	针 NEEDLE
500-05CA 500-05CA/M	224	257517-24	257049A24	257220-16F	257266-16F	257327A24	257550E91	257553	257551B	25756S	UY128GAS #9
	232	" 32	" 32			" 32					
	240	" 40	257050A40	257221-16F	257267-16F	257328A40	257550-91				
	248	" 48	" 48			" 48					
	256	" 56	257052A56	257222-16F	257268-16F	257329A56					UY128GAS #10
	264	" 64	" 64	257221-16F	257267-16F	" 64	257550E91				
	348	257518-48	257051A48	257221-16F	257267-16F	257330A48	257550E91				
	356	" 56	257053A56	257222-16F	257268-16F	257331A56	257550-91				
500-05CB 500-05CB/M	224	257517-24	257049A24	257220-16F	257266-16F	257327A24	257550E91	257553	257551B	25756S	UY128GAS #9
	232	" 32	" 32			" 32					
	240	" 40	257050A40	257221-16F	257267-16F	257328A40	257550-91				
	248	" 48	" 48			" 48					
	256	" 56	257052A56	257222-16F	257268-16F	257329A56					UY128GAS #10
	264	" 64	" 64	257221-16F	257267-16F	" 64	257550E91				
	348	257518-48	257051A48	257221-16F	257267-16F	257330A48	257550E91				
	356	" 56	257053A56	257222-16F	257268-16F	257331A56	257550-91				

500

缝纫组合件 表 (7)

GAUGE PARTS LIST (7)



形式 MACHINE TYPE /SECC.	缝样 GAUGE	针留 NEEDLE HOLDER	针板 NEEDLE PLATE	主送布牙 MAIN FEED DOG	差动送布牙 DIFF. FEED DOG	压脚 PRESSER FOOT	弯杆 LOOPER	护针(前) NEEDLE GUARD FRONT	护针(后) NEEDLE GUARD REAR	喂针 SPREADER	针 NEEDLE
500-06BA 500-06BA/M 500-07BA 500-07BA/M	232	257517-32	257044A32	257214-16F	257260-16F	257337A32	257550-91	257553	257551B	25756S	UY128GAS #9
	240	" 40	257045A40	257215-16F	257261-16F	257338A40					UY128GAS #10
	248	" 48	" 48			" 48					
	256	" 56	257047A56	257216-16F	257262-16F	257339A56					
	264	" 64	" 64	257215-16F	257261-16F	" 64					
	348	257518-48	257046A48	257215-16F	257261-16F	257339A48					
	356	" 56	257048A56	257216-16F	257262-16F	257341A56	257550E91				
500-06BB 500-06BB/M 500-07BB 500-07BB/M	232	257517-32	257044B32	257214-16F	257260-16F	257337A32	257550-91	257553	257551B	25756S	UY128GAS #9
	240	" 40	257045B40	257215-16F	257261-16F	257338A40					UY128GAS #10
	248	" 48	" 48			" 48					
	256	" 56	257047B56	257216-16F	257262-16F	257339A56					
	264	" 64	" 64	257215-16F	257261-16F	" 64					
	348	257518-48	257046B48	257215-16F	257261-16F	257339A48	257550E91				
	356	" 56	257048B56	257216-16F	257262-16F	257341A56	257550-91				
500-08AB 500-08AB/M	240	257517-40	257084B40	257206-16F	259209-16F	257480-40	257550-91	257553	257551B	25756S	UY128GAS #9
	248	" 48	" 48			" 48					UY128GAS #10
	356	257518-56	257095B56	257207-16F	259210-16F	257461-56					
	364	" 64	" 64			" 64					
500-08AC 500-08AC/M	240	257517-40	257084C40	257206-16F	259209-16F	257180-48	257550-91	257553	257551B	25756S	UY128GAS #9
	248	" 48	" 48			" 48					UY128GAS #10
	256	257518-56	257095C56	257207-16F	259210-16F	257461-56					
	364	" 64	" 64			" 64					

缝纫组合件 表 (8)


GAUGE PARTS LIST (8)



形式 MACHINE TYPE /SEEC	缝样 GAUGE	针留 NEEDLE HOLDER	针板 NEEDLE PLATE	主送布牙 MAIN FEED DOG	差动送布牙 DIFF FEED DOG	压脚 PRESSER FOOT	弯杆 LOOPER	护针(前) NEEDLE GUARD FRONT	护针(后) NEEDLE GUARD REAR	喂针 SPREADER	针 NEEDLE	
500-21BA	356	257501C58	257022A56	257207-16F	257259-16F	257466-56	257550A91	257553	257551B	25756S	UY128GAS	
500-21BA/M	364	" 64	" 64			" 64					#10	
500-21BB	356	257501C56	257022B56	257207-16F	257259-16F	257468-56	257550A-91	257553	257551B	25756S	UY128GAS	
500-21BB/M	364	" 64	" 64			" 64					#10	
50082AB/M	224	257517-24	257119-24	257206-16F	257223-16F	257460-24	257550E91	257553	257551B	25756S	UY128GAS	
	240	" 40	" 40			" 40					#10	
	248	" 48	" 48			" 48						
	356	257518-56	257120-56			257461-56					257550-91	UY128GAS
	364	" 64	" 64			" 64						

500N系列子型号规格表

500N系列



用途	子型号	针数 (根)	针距 (mm)	针距(mm)	最大针 脚长 (mm)	差动比	压脚抬升量 (mm)	最高旋转数 (rpm)	备注
基本缝纫用	500-01CB	2 3	4 5	2.4・3.2・4・4.8・5.6・6.4 4.8・5.6・6.4	4.4	0.5~1.3	6.3 5	6,000	
松紧带滚边用	500-02BB	2 3	4 5	2.4・3.2・4・4.8・5.6・6.4 4.8・5.6・6.4	4.4	0.5~1.3	6.3 5	6,000	
绷盖缝用	500-03DB	2 3	4 5	4・4.8・5.6・6.4 4.8・5.6・6.4	4.4	0.5~1.3	6.3 5	6,000	
	500-03EB	2 3	4 5	4・4.8・5.6・6.4 4.8・5.6・6.4	4.4	0.5~1.3	6.3 5	6,000	
缝花边松紧带用	500-05CB	2 3	4 5	2.4・3.2・4・4.8・5.6・6.4 4.8・5.6・6.4	4.4	0.5~1	6.3 5	5,500 (MAX 5,000)	
	500-07BB	2 3	4 5	3.2・4・4.8・5.6・6.4 4.8・5.6・6.4	4.4	0.5~1.3	6.3 5	5,000	
缝花边用	500-06BB	2 3	4 5	3.2・4・4.8・5.6・6.4 4.8・5.6・6.4	4.4	0.5~1.3	6.3 5	6,000	
下摆折缝用	500-08AB	2 3	4 5	4・4.8 5.6・6.4	4.4	0.5~1.3	6.3 5	6,000	

※差动比使用1:1.3以上时, 请将主送布牙运动量设定在3.2mm以下。

针脚形式 602, 605

使用的针 UY128GAS #9S
UY128GAS #10S

整机尺寸(WxDxH) W: 495mm D: 280mm H: 414mm

干燥时重量 41.5Kg

总重量 47.5Kg
UY128GAS #10S噪音值 n=5,400rpm: Lpa52.0dB
DIN 45635 48A-1 遵循